

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.

PRODUCED: MAR 04, 2024

SAMPLE: HEAVY CANNON ROLLING PAPERS (OTHER) // CLIENT: [REDACTED] // BATCH: **PASS**



BATCH NO.: 1
MATRIX: OTHER
CATEGORY: OTHER
SAMPLE ID: RAS-240301-003
COLLECTED ON: MAR 01, 2024
RECEIVED ON: MAR 01, 2024
BATCH/SAMPLE SIZE: 5 UNITS / 5 UNITS
RECEIVED BY: MICHAEL POLSELLI



CULTIVATOR INFO

CULTIVATOR
[REDACTED]


LICENSE
N/A
MEDICINAL - CAREGIVER

BATCH RESULT: **PASS**

METALS	PASS
---------------	------




RESULTS CERTIFIED BY: PATRICK ABELI, M.S.
LABORATORY DIRECTOR, REASSURE
MAR 04, 2024



ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	1.5 µg/g	ND	0.030/0.088	PASS	LEAD	0.5 µg/g	< LOQ	0.020/0.061	PASS
CADMIUM	0.5 µg/g	ND	0.024/0.072	PASS	MERCURY	3 µg/g	ND	0.017/0.051	PASS
CHROMIUM	2 µg/g	< LOQ	0.109/0.324	PASS	NICKEL	N/A	0.150		N/A
COPPER	N/A	336.530		N/A					

ACCREDITATIONS



PJLA
Testing

ISO17025:2017

PJLA ACCREDITED

SOP-T006: HEAVY METALS BY ICP-MS
ARSENIC, CADMIUM, CHROMIUM, COPPER, LEAD, MERCURY,
NICKEL

" THIS METHOD HAS BEEN VERIFIED TO MEET THE MANUFACTURER'S SPECIFICATIONS. THE RESULTS ARE FOR R&D PURPOSES ONLY. THIS IS NOT A MICHIGAN COMPLIANCE CERTIFICATE. ANY ACTION TAKEN AS A RESULT OF THIS DATA IS AT THE DISCRETION AND RESPONSIBILITY OF THE CLIENT."*

